

medartis®

PRECISION IN FIXATION

PRODUCT INFORMATION

MODUS® 2 Mandible



MODUS®

Contents

3	The new MODUS 2 Mandible
4	TriLock Bridging Plates t=2.0
6	TriLock Plates t=1.5
7	TriLock Plates t=1.3
8	Fixation Plates t=1.0
9	Technology
10	TriLock SpeedTip – 3 Technologies in One Screw
11	Storage
13	Ordering Information
30	Bibliography



For further information on the MODUS product line, please visit www.medartis.com.

The new MODUS 2 Mandible

The new MODUS 2 Mandible offers a wide range of plate designs for a variety of mandibular treatments.

Features

- One system for the treatment of mandibular traumas and reconstructions
- Selection of anatomical and indication-specific plate designs for fractures and reconstructions
- Compact and streamlined plate portfolio
- New grid design for bridging and trauma plates
- Large selection of screws, including self-drilling SpeedTip screws and locking TriLock screws
- Uniform color concept for clear identification of drills and screws
- Plates, screws and drills are also available sterile



TriLock Bridging Plates


t=2.0

Features

- For bridging defects in bone continuity in the mandible
- Grid structure for greater stability* combined with a low plate profile and rounded plate edges throughout
- Double-sided TriLock screw holes allow plates to be used on the left and right side, thereby streamlining the plate portfolio**
- Anatomical plate design and adaptable ramus section**
 - Less bending of the plate is required



Bridgeable area with C-bridging plate




* compared to MODUS Reco 2.5 bridging plates

** for L/H and LC/HC reconstruction plates






LCL-bridging with C-adaption



L/H and LC/HC plates have double-sided TriLock screw holes and can therefore be used for the left and right side.





TriLock Plates

t=1.5

Features

- Versatile
 - Bone graft reconstructions
 - Comminuted mandibular fractures
 - Atrophic mandibular fractures
 - Ramus and mandibular angle fractures
- Anatomical plate design
 - Less bending of the plate is required
- Central or deep positioning options




TriLock Plates

t=1.3

Features

- Wide selection of plates for condylar treatments
- TriLock grid mandibular angle plates, grid median-paramedian plates and grid pencilbone plates
 - Free selection of the screw holes to be filled
 - The grid mandibular angle plates have an anatomical plate design



Anatomical fit






Fixation Plates

t=1.0

Features


- Grid mandibular angle plates and grid median-paramedian plates
 - Large selection of screw holes to be filled
 - The grid mandibular angle plates have an anatomical plate design
- Wide selection of plates for condylar treatments
- Compression plates for the body and mandibular angle



Technology

HexaDrive


- A single screwdriver for all screws thanks to the uniform, patented HexaDrive screw head design
 - HexaDrive interface with self-holding properties between screw and screwdriver
 - Increased torque transmission
 - Simplified screw pick-up due to patented self-holding technology



Blue contact surface for torque transmission
Red contact surface for screw retention

SpeedTip

- Functionally unique cutting with immediate bite
- Immediate cutting of the bone with only slight axial pressure
- The triangular tip design permits simultaneous drilling, tapping and compression of the bone tissue during insertion for increased pull-out stability⁽¹⁻²⁾
- Reduced insertion torque thanks to the polygonal tip and tapered shaft



TriLock

- Patented TriLock locking technology
 - Multidirectional locking of the screw in the plate
 - Screws can pivot freely by $\pm 15^\circ$ in all directions for optimal positioning
- Fine tuning capabilities of fracture fragments
 - TriLock screws can be re-locked in the same screw hole at individual angles up to three times
 - No cold welding between plate and screws
- Internal fixator principle
 - Forces bypass the unstable fracture site
 - Low contact for ideal blood supply




Load-free zone (green)

TriLock SpeedTip

3 Technologies in One Screw


Innovative TriLock SpeedTip Screws


- TriLock screw head
- Precise and sharp SpeedTip thread
- HexaDrive screw head design




Storage

- Compact, clearly arranged system
- Easy to use
- User-friendly storage of implants and instruments
- Validated cleaning and sterilization of the implants in the container





Example of an equipped plate case




Example of an equipped screw case

Ordering Information

Mandible Plates $t = 1.0 \text{ mm}$

Straight Plates


Material: Titanium (ASTM F67)
Plate thickness: 1.0 mm



Art. No.	STERILE	Holes	Bar	Pieces/Pkg
M2-4800	M2-4800S	4	9 mm	1
M2-4826	M2-4826S	6	12 mm	1
M2-4837	M2-4837S	4		1
M2-4839	M2-4839S	6		1
M2-4845	M2-4845S	6	9 mm	1
M2-4864	M2-4864S	20		1

Condyle Plates


Material: Titanium (ASTM F67)
Plate thickness: 1.0 mm



Art. No.	STERILE	Description	Holes	Pieces/Pkg
M2-4852	M2-4852S	TCP, trapezoid	4	1
M2-4854	M2-4854S	TCP, trapezoid, pre-shaped	4	1
M2-4860	M2-4860S	TCP, trapezoid, pre-shaped	9	1
M2-4894	M2-4894S	Delta Condyle Compression Plate	4	1

Mandibular Angle Plates


Material: Titanium (ASTM F67)
Plate thickness: 1.0 mm



Art. No.	STERILE	Description	Holes	Pieces/Pkg
M2-4843	M2-4843S	left	8 (4+4)	1
M2-4847	M2-4847S	grid, left	11	1
M2-4848	M2-4848S	grid, right	11	1
M2-4856	M2-4856S	right	8 (4+4)	1

Grid Median-Paramedian Plate


Material: Titanium (ASTM F67)
Plate thickness: 1.0 mm



Art. No.	STERILE	Description	Holes	Pieces/Pkg
M2-4849	M2-4849S		9	1


Grid Compression Plates

Material: Titanium (ASTM F67)
Plate thickness: 1.0 mm




Art. No.	STERILE	Description	Holes	Pieces/Pkg
M2-4882	M2-4882S		4 (2+2)	1
M2-4884	M2-4884S		8 (4+4)	1
M2-4886	M2-4886S	asymmetrical	8 (4+4)	1

Straight Plates

Material: Titanium (ASTM F67)
Plate thickness: 1.0 mm


Art. No.	STERILE	Holes	Bar	Pieces/Pkg
M2-4300	M2-4300S	4	9 mm	1
M2-4303	M2-4303S	20		1
M2-4318	M2-4318S	4		1
M2-4322	M2-4322S	6		1
M2-4324	M2-4324S	6	9 mm	1
M2-4384	M2-4384S	20	12 mm	1

Pencilbone Compression Plates

Material: Titanium (ASTM F67)
Plate thickness: 1.0 mm

Art. No.	STERILE	Holes	Bar	Pieces/Pkg
M2-4390	M2-4390S	8	6 mm	1
M2-4392	M2-4392S	8	9 mm	1
M2-4394	M2-4394S	10	12 mm	1

Mandible Plates, 70°


Material: Titanium (ASTM F67)
Plate thickness: 1.0 mm

Art. No.	STERILE	Description	Holes	Bar	Pieces/Pkg
M2-4378	M2-4378S	left	6	9 mm	1
M2-4380	M2-4380S	right	6	9 mm	1

Mandible Plates t = 1.3 mm

TriLock Plates, Straight


Material: Titanium (ASTM F67)
Plate thickness: 1.3 mm



Art. No.	STERILE	Holes	Bar	Pieces/Pkg
M2-4605	M2-4605S	4		1
M2-4607	M2-4607S	4	9 mm	1
M2-4609	M2-4609S	4	12 mm	1
M2-4611	M2-4611S	6	12 mm	1
M2-4640	M2-4640S	6	9 mm	1

TriLock Condyle Plates


Material: Titanium (ASTM F67)
Plate thickness: 1.3 mm
Plate thickness M2-4692: 1.5 mm



Art. No.	STERILE	Description	Holes	Bar	Pieces/Pkg
M2-4654	M2-4654S	TCP	4		1
M2-4656	M2-4656S	TCP, anatomical	4		1
M2-4658	M2-4658S	delta	4		1
M2-4660	M2-4660S		4	7 mm	1
M2-4662	M2-4662S		4	9 mm	1
M2-4664	M2-4664S		4	12 mm	1
M2-4692	M2-4692S	straight	6		1

TriLock Mandibular Angle Plates


Material: Titanium (ASTM F67)
Plate thickness: 1.3 mm



Art. No.	STERILE	Description	Holes	Pieces/Pkg
M2-4617	M2-4617S	Grid, left	11	1
M2-4618	M2-4618S	grid, right	11	1
M2-4642	M2-4642S	left	4	1
M2-4644	M2-4644S	right	4	1

TriLock Median-Paramedian Plates, Grid


Material: Titanium (ASTM F67)
Plate thickness: 1.3 mm



Art. No.	STERILE	Description	Holes	Pieces/Pkg
M2-4613	M2-4613S		9	1
M2-4621	M2-4621S		16	1

TriLock Pencilbone Plates, Grid

Material: Titanium (ASTM F67)
Plate thickness: 1.3 mm




Art. No.	STERILE	Description	Holes	Pieces/Pkg
M2-4619	M2-4619S	left	11	1
M2-4620	M2-4620S	right	11	1

Mandible Plates t = 1.5 mm

TriLock Plates, Straight


Material: Titanium (ASTM F67)
Plate thickness: 1.5 mm



Art. No.	STERILE	Holes	Bar	Pieces/Pkg
M2-4625	M2-4625S	4	18 mm	1
M2-4627	M2-4627S	6	12 mm	1
M2-4629	M2-4629S	6		1
M2-4631	M2-4631S	21		1
M2-4670	M2-4670S	4		1
M2-4672	M2-4672S	4	12 mm	1
M2-4674	M2-4674S	6	18 mm	1
M2-4678	M2-4678S	16		1

TriLock Plates, Anatomical

Material: Titanium (ASTM F67)
Plate thickness: 1.5 mm







Art. No.	STERILE	Description	Holes	Pieces/Pkg
M2-4637	M2-4637S	left	9 (3+6)	1
M2-4638	M2-4638S	right	9 (3+6)	1
M2-4643	M2-4643S	LCL	31 (6+19+6)	1
M2-4651	M2-4651S	LC, left	20 (5+15)	1
M2-4652	M2-4652S	LC, right	20 (5+15)	1

Mandible TriLock Plates t = 2.0 mm

TriLock Bridging Plates





Material: Titanium (ASTM F67)
Plate thickness: 2.0 mm



Art. No.	STERILE	Description	Holes	Pieces/Pkg
M2-4601	M2-4601S	C	17	1
M2-4603	M2-4603S	L/H, double-sided	22 (13+9)	1
M2-4633	M2-4633S	LC/HC, double-sided	26 (17+9)	1
M2-4635	M2-4635S	C, LCL	27 (5+17+5)	1

Templates for TriLock Bridging Plates


Material: Aluminum
Plate thickness: 1.0 mm



Art. No.	Description	Holes	Pieces/Pkg
M2-4667	for M2-4601	5	1
M2-4668	for M2-4603, double-sided	5	1
M2-4669	for M2-4633, double-sided	6	1
M2-4671	for M2-4635	7	1

Condylar Head Prostheses


Material: Titanium (ASTM F67)



Art. No.	Description	Pieces/Pkg
M2-4645	left	1
M2-4647	right	1

Carrier Element for Condylar Head Prostheses


Material: Titanium (ASTM F67)



Art. No.	Description	Pieces/Pkg
M2-4641	for M2-4645 / M2-4647	1

C-Adaption for Bridging Plate


Material: Titanium (ASTM F67)



Art. No.	STERILE	Description	Pieces/Pkg
M2-4639	M2-4639S	left	1

Connecting Screws


Material: Titanium (ASTM F136)



Art. No.	STERILE	Description	Pieces/Pkg
M2-5268.05		for M2-4639 / M2-4641, HD6	2
	M2-5268.05S	for M2-4639 / M2-4641, HD6	1
M2-5269.06		for condylar head prostheses, HD6	2

2.0 Cortical Screws, HexaDrive 6


Material: Titanium alloy (ASTM F136)



Length	Art. No.	STERILE	Pieces/Pkg	Art. No.	Pieces/Pkg
4 mm	M2-5240.04/1	M2-5240.04/1S	1	M2-5240.04	5
5 mm	M2-5240.05/1	M2-5240.05/1S	1	M2-5240.05	5
6 mm	M2-5240.06/1	M2-5240.06/1S	1	M2-5240.06	5
7 mm	M2-5240.07/1	M2-5240.07/1S	1	M2-5240.07	5
8 mm	M2-5240.08/1	M2-5240.08/1S	1	M2-5240.08	5
9 mm	M2-5240.09/1	M2-5240.09/1S	1	M2-5240.09	5
11 mm	M2-5240.11/1	M2-5240.11/1S	1	M2-5240.11	5
13 mm	M2-5240.13/1	M2-5240.13/1S	1	M2-5240.13	5
15 mm	M2-5240.15/1	M2-5240.15/1S	1	M2-5240.15	5
17 mm	M2-5240.17/1	M2-5240.17/1S	1	M2-5240.17	5
19 mm	M2-5240.19/1	M2-5240.19/1S	1	M2-5240.19	5

2.0 SpeedTip Screws, Self-Drilling, HexaDrive 6

Material: Titanium alloy (ASTM F136)



Length	Art. No.	STERILE	Pieces/Pkg	Art. No.	Pieces/Pkg
5 mm	M2-5243.05/1	M2-5243.05/1S	1	M2-5243.05	5
6 mm	M2-5243.06/1	M2-5243.06/1S	1	M2-5243.06	5
7 mm	M2-5243.07/1	M2-5243.07/1S	1	M2-5243.07	5
8 mm	M2-5243.08/1	M2-5243.08/1S	1	M2-5243.08	5
9 mm	M2-5243.09/1	M2-5243.09/1S	1	M2-5243.09	5
11 mm	M2-5243.11/1	M2-5243.11/1S	1	M2-5243.11	5

2.0 TriLock SpeedTip Screws, Self-Drilling, HexaDrive 6

Material: Titanium alloy (ASTM F136)



Length	Art. No.	STERILE	Pieces/Pkg	Art. No.	Pieces/Pkg
6 mm	M2-5247.06/1	M2-5247.06/1S	1	M2-5247.06	5
7 mm	M2-5247.07/1	M2-5247.07/1S	1	M2-5247.07	5
8 mm	M2-5247.08/1	M2-5247.08/1S	1	M2-5247.08	5

2.0 TriLock Screws, HexaDrive 6


Material: Titanium alloy (ASTM F136)



Length	Art. No.	STERILE	Pieces/Pkg	Art. No.	Pieces/Pkg
5 mm	M2-5245.05/1	M2-5245.05/1S	1	M2-5245.05	5
6 mm	M2-5245.06/1	M2-5245.06/1S	1	M2-5245.06	5
7 mm	M2-5245.07/1	M2-5245.07/1S	1	M2-5245.07	5
8 mm	M2-5245.08/1	M2-5245.08/1S	1	M2-5245.08	5
9 mm	M2-5245.09/1	M2-5245.09/1S	1	M2-5245.09	5
11 mm	M2-5245.11/1	M2-5245.11/1S	1	M2-5245.11	5
13 mm	M2-5245.13/1	M2-5245.13/1S	1	M2-5245.13	5
15 mm	M2-5245.15/1	M2-5245.15/1S	1	M2-5245.15	5

2.3 Cortical Screws, HexaDrive 6

Material: Titanium alloy (ASTM F136)



Length	Art. No.	STERILE	Pieces/Pkg	Art. No.	Pieces/Pkg
5 mm	M2-5250.05/1	M2-5250.05/1S	1	M2-5250.05	5
6 mm	M2-5250.06/1	M2-5250.06/1S	1	M2-5250.06	5
7 mm	M2-5250.07/1	M2-5250.07/1S	1	M2-5250.07	5
8 mm	M2-5250.08/1	M2-5250.08/1S	1	M2-5250.08	5
9 mm	M2-5250.09/1	M2-5250.09/1S	1	M2-5250.09	5
11 mm	M2-5250.11/1	M2-5250.11/1S	1	M2-5250.11	5
13 mm	M2-5250.13/1	M2-5250.13/1S	1	M2-5250.13	5
15 mm	M2-5250.15/1	M2-5250.15/1S	1	M2-5250.15	5
17 mm	M2-5250.17/1	M2-5250.17/1S	1	M2-5250.17	5
19 mm	M2-5250.19/1	M2-5250.19/1S	1	M2-5250.19	5

2.3 TriLock Screws, HexaDrive 6

Material: Titanium alloy (ASTM F136)



Length	Art. No.	STERILE	Pieces/Pkg	Art. No.	Pieces/Pkg
7 mm	M2-5255.07/1	M2-5255.07/1S	1	M2-5255.07	5
8 mm	M2-5255.08/1	M2-5255.08/1S	1	M2-5255.08	5
9 mm	M2-5255.09/1	M2-5255.09/1S	1	M2-5255.09	5
11 mm	M2-5255.11/1	M2-5255.11/1S	1	M2-5255.11	5
13 mm	M2-5255.13/1	M2-5255.13/1S	1	M2-5255.13	5
15 mm	M2-5255.15/1	M2-5255.15/1S	1	M2-5255.15	5
17 mm	M2-5255.17/1	M2-5255.17/1S	1	M2-5255.17	5
19 mm	M2-5255.19/1	M2-5255.19/1S	1	M2-5255.19	5

2.5 TriLock Screws, HexaDrive 6

Material: Titanium alloy (ASTM F136)



Length	Art. No.	STERILE	Pieces/Pkg	Art. No.	Pieces/Pkg
7 mm	M2-5265.07/1	M2-5265.07/1S	1	M2-5265.07	5
8 mm	M2-5265.08/1	M2-5265.08/1S	1	M2-5265.08	5
9 mm	M2-5265.09/1	M2-5265.09/1S	1	M2-5265.09	5
11 mm	M2-5265.11/1	M2-5265.11/1S	1	M2-5265.11	5
13 mm	M2-5265.13/1	M2-5265.13/1S	1	M2-5265.13	5
15 mm	M2-5265.15/1	M2-5265.15/1S	1	M2-5265.15	5
17 mm	M2-5265.17/1	M2-5265.17/1S	1	M2-5265.17	5
19 mm	M2-5265.19/1	M2-5265.19/1S	1	M2-5265.19	5

Twist Drills Ø 1.5 mm (Core Hole 2.0 Screws)



M2-3119



M2-3139



M2-3159



M2-3459



M2-3129



M2-3149



M2-3169



M2-3469

Art. No.	STERILE	Description	Stop	Length	Shaft End	Pieces/Pkg
M2-3119	M2-3119S		5 mm	35 mm	Dental	1
M2-3129	M2-3129S		5 mm	48 mm	Stryker J-Latch	1
M2-3139	M2-3139S		7 mm	37 mm	Dental	1
M2-3149	M2-3149S		7 mm	50 mm	Stryker J-Latch	1
M2-3159	M2-3159S		25 mm	55 mm	Dental	1
M2-3169	M2-3169S		25 mm	68 mm	Stryker J-Latch	1
M2-3459	M2-3459S	for drill guide M2-2198	25 mm	99 mm	Dental	1
M2-3469	M2-3469S	for drill guide M2-2198	25 mm	112 mm	Stryker J-Latch	1

Twist Drills Ø 2.0 mm (Gliding Hole 2.0 Screws)



M2-3156



M2-3296



M2-3166



M2-3306

Art. No.	STERILE	Description	Stop	Length	Shaft End	Pieces/Pkg
M2-3156	M2-3156S		25 mm	55 mm	Dental	1
M2-3166	M2-3166S		25 mm	68 mm	Stryker J-Latch	1
M2-3296	M2-3296S	for drill guide M2-2198	25 mm	99 mm	Dental	1
M2-3306	M2-3306S	for drill guide M2-2198	25 mm	112 mm	Stryker J-Latch	1

Twist Drills \varnothing 1.9 mm (Core Hole 2.3 Screws)

M2-3176



M2-3196



M2-3216



M2-3186



M2-3206



M2-3226

Art. No.	STERILE	Description	Stop	Length	Shaft End	Pieces/Pkg
M2-3176	M2-3176S		7 mm	37 mm	Dental	1
M2-3186	M2-3186S		7 mm	50 mm	Stryker J-Latch	1
M2-3196	M2-3196S		25 mm	55 mm	Dental	1
M2-3206	M2-3206S		25 mm	68 mm	Stryker J-Latch	1
M2-3216	M2-3216S	for drill guide M2-2198	25 mm	99 mm	Dental	1
M2-3226	M2-3226S	for drill guide M2-2198	25 mm	112 mm	Stryker J-Latch	1

Twist Drills \varnothing 2.3 mm (Gliding Hole 2.3 Screws)

M2-3316



M2-3336



M2-3326



M2-3346

Art. No.	STERILE	Description	Stop	Length	Shaft End	Pieces/Pkg
M2-3316	M2-3316S	for drill guide M2-2198	25 mm	99 mm	Dental	1
M2-3326	M2-3326S	for drill guide M2-2198	25 mm	112 mm	Stryker J-Latch	1
M2-3336	M2-3336S		25 mm	55 mm	Dental	1
M2-3346	M2-3346S		25 mm	68 mm	Stryker J-Latch	1

Twist Drill Ø 2.0 mm (Core Hole 2.5 Screws)




Art. No.	STERILE	Description	Stop	Length	Shaft End	Pieces/Pkg
M2-3236	M2-3236S		7 mm	37 mm	Dental	1
M2-3246	M2-3246S		7 mm	50 mm	Stryker J-Latch	1
M2-3256	M2-3256S		25 mm	55 mm	Dental	1
M2-3266	M2-3266S		25 mm	68 mm	Stryker J-Latch	1
M2-3276	M2-3276S	for drill guide M2-2198	25 mm	99 mm	Dental	1
M2-3286	M2-3286S	for drill guide M2-2198	25 mm	112 mm	Stryker J-Latch	1

Drill Guide



Art. No.	Size	Length	Pieces/Pkg
M2-2198	2.0-2.5	122 mm	

Depth Gauge



Art. No.	Size	Description	Length	Pieces/Pkg
M2-2260	2.0-2.5		160 mm	1
M2-2260.1	2.0-2.5	caliper for M2-2260 (spare part)	171 mm	1

Screwdriver Handles



Art. No.	Description	Length	Pieces/Pkg
M2-2001	type 2 (hand driven small, AO coupling)	121 mm	1
M2-2040	type 3 (hand driven large, AO coupling)	115 mm	1

Screwdriver Blade



Art. No.	Interface	Description	Length	Pieces/Pkg
M2-2005	HD6	self-holding	95 mm	1

Plate and Screw Holding Forceps




M2-2009




M2-2019

Art. No.	Description	Length	Pieces/Pkg
M-2009	angled, small	150 mm	1
M-2019	angled, large	200 mm	1

Plate Cutting Pliers





M2-2116



A-2045


Art. No.	Size	Description	Length	Pieces/Pkg
M2-2116		$t \leq 2.0$ mm	220 mm	1
A-2045	2.0–3.5		218 mm	1

Bending Pliers



Art. No.	Size	Description	Length	Pieces/Pkg
M2-2000		flat	152 mm	1
M2-2006	2.0-2.5		156 mm	1
M2-2016	2.0-2.5	three-point bending pliers	189 mm	1
M2-2158	2.0-2.5	with pin	140 mm	1

Ramus Plate Bending Instrument



Art. No.	Length	Pieces/Pkg
M2-2026	125 mm	1

Temporary Locking Stopper



Art. No.	Length	Pieces/Pkg
M2-2007	24 mm	1

Bibliography

Self-drilling Screws

1. Heidemann, W.; Terheyden, H.; Gerlach, K. L.
Analysis of the osseous / metal interface of drill free screws and self-tapping screws
Journal of Cranio-Maxillofacial Surgery
(2001) 29, 69–74
2. Heidemann, W.; Terheyden, H.; Gerlach, K. L.
In-vivo-Untersuchungen zum Schrauben-Knochen-Kontakt von Drill-Free-Schrauben und herkömmlichen selbstschneidenden Schrauben Mund Kiefer GesichtsChir 5
2001: 17–21

DAM Medical

MANDIBLE2-09200001_v0 / © 2020-10, Medartis AG, Switzerland. All technical data subject to alteration.

MANUFACTURER & HEADQUARTERS

Medartis AG | Hochbergerstrasse 60E | 4057 Basel/Switzerland
P +41 61 633 34 34 | F +41 61 633 34 00 | www.medartis.com

SUBSIDIARIES

Australia | Austria | Brazil | China | France | Germany | Japan | Mexico | New Zealand | Poland | UK | USA

For detailed information regarding our subsidiaries and distributors, please visit www.medartis.com



Disclaimer: This information is intended to demonstrate the Medartis portfolio of medical devices. A surgeon must always rely on her or his own professional clinical judgement when deciding whether to use a particular product when treating a particular patient. Medartis is not giving any medical advice. The devices may not be available in all countries due to registration and/or medical practices. For further questions, please contact your Medartis representative (www.medartis.com). This information contains CE-marked products.
For US only: Federal law restricts this device to sale by or on the order of a physician.