

QUICK REFERENCE
INTERNA GUIDE *for*



CORE
implants



*Prosthesis over
UNIT® / MULTI-IM®*

Prosthesis over the implant

Overdenture restorations

 **DamMedical**

Quick reference
BTI Interna
CORE Implants



Ø 3.3		Ø 4.00	
Art. - Nr.	Length	Art. - Nr.	Length
IIPECA3355	5.5 mm	IIPECA4045	4.5 mm
IIPECA3365	6.5 mm	IIPECA4055	5.5 mm
IIPECA3375	7.5 mm	IIPECA4065	6.5 mm
IIPECA3385	8.5 mm	IIPECA4075	7.5 mm
IIPECA3310	10 mm	IIPECA4085	8.5 mm
IIPECA3311	11.5 mm	IIPECA4010	10 mm
IIPECA3313	13 mm	IIPECA4011	11.5 mm
IIPECA3315	15 mm	IIPECA4013	13 mm

Ø 3.5		Ø 4.25	
Art. - Nr.	Length	Art. - Nr.	Length
IIPECA3545	4.5 mm	IIPECA4245	4.5 mm
IIPECA3555	5.5 mm	IIPECA4255	5.5 mm
IIPECA3565	6.5 mm	IIPECA4265	6.5 mm
IIPECA3575	7.5 mm	IIPECA4275	7.5 mm
IIPECA3585	8.5 mm	IIPECA4285	8.5 mm
IIPECA3510	10 mm	IIPECA4210	10 mm
IIPECA3511	11.5 mm	IIPECA4211	11.5 mm
IIPECA3513	13 mm	IIPECA4213	13 mm
IIPECA3515	15 mm		

Ø 3.75		Ø 4.75	
Art. - Nr.	Length	Art. - Nr.	Length
IIPECA3745	4.5 mm	IIPECA4745	4.5 mm
IIPECA3755	5.5 mm	IIPECA4755	5.5 mm
IIPECA3765	6.5 mm	IIPECA4765	6.5 mm
IIPECA3775	7.5 mm	IIPECA4775	7.5 mm
IIPECA3785	8.5 mm	IIPECA4785	8.5 mm
IIPECA3710	10 mm	IIPECA4710	10 mm
IIPECA3711	11.5 mm	IIPECA4711	11.5 mm
IIPECA3713	13 mm		
IIPECA3715	15 mm		

BTI Drills

Diameter drills

	Art. - Nr.	Drill depth	
	FICS	10 mm	
	FIL	15 mm	
	Art. - Nr.	Ø	Drill depth
	F1825CS	1,8 > 2,5	15 mm
	F28CS	2,8	15 mm
	F30CS	3,0	15 mm
	F32CS	3,25	15 mm
	F35CS	3,5	15 mm
	F37CS	3,75	15 mm
	F37LS	3,75	18 mm
	F40CS	4,0	15 mm
	F42CS	4,25	15 mm
	F42LS	4,25	18 mm
	F47CS	4,75	15 mm
	F47LS	4,75	18 mm

Front cutting drills

	Art. - Nr.	Ø	Drill depth
	FCF30L	3,0	10 mm
	FCF35L	3,5	10 mm
	FCF40L	4,0	10 mm
	FCF45L	4,5	10 mm




Class		Hounsfield	DRILL DEPTH MARKS
I		1050 - 1400	3 mm
		850 - 1000	4,5 mm
II		550 - 800	5,5 mm
		400 - 500	6,5 mm
IV		100 - 350	8,5 mm
V			10 mm
			11,5 mm
			13 mm
			15 mm

DRILL	IRRIGATION	SPEED
Initial drill	800 - 1.000 rpm	yes
Drill	50 - 75 rpm	no
Front cutting drill	50 - 75 rpm	no


BTI Crest expanders

EXPANSION


Implant 3.3 mm. ø Narrow/CORE platform



Implant 3.5 mm. ø Narrow/CORE platform



Implant 3.75 mm. ø Narrow/CORE platform




EXPANDERS

EXPANDER 1
Ø 2 mm

EXPANDER 3
Ø 3,1 mm

EXPANDER 2
Ø 2,6 mm

EXPANDER 4
Ø 3,8 mm



KEXCO



Description
Initial drill. short
Expanders
Compactors

Wrench extension, long and short
Mount connector, long and short
Plastic box

Expanders/Compactors

Art. - Nr.	Description	Ø Apex	Ø Body	Length
ECO1 ECO2 ECO3 ECO4	Expander Nr. 1 long	-	2,0 mm	15,0 mm
	Expander Nr. 2 long	1,4 mm	2,6 mm	15,0 mm
	Expander Nr. 3 long	1,9 mm	3,1 mm	15,0 mm
	Expander Nr. 4 long	2,6 mm	3,8 mm	15,0 mm

Art. - Nr.	Description	Ø Apex	Ø Body	Length
COMP1 COMP2 COMP3 COMP4	Compactor Nr. 1 short	-	2,0 mm	11,5 mm
	Compactor Nr. 2 short	1,4 mm	2,6 mm	11,5 mm
	Compactor Nr. 3 short	1,9 mm	3,1 mm	11,5 mm
	Compactor Nr. 4 short	2,6 mm	3,8 mm	11,5 mm


IET

Expander implants

Art. - Nr.	Description	Ø (mm)	Length
IET2511	IET2565	2.5	6,5 mm
IET2585	IET2585	2.5	8,5 mm
IET2565	IET2511	2.5	11,5 mm



Expander Implant 2.5 mm. ø



Surgical-Prosthetic instruments

Surgical ratchets

	Art. - Nr. LLMQ	Description Surgical torque ratchet 20 - 70 Ncm.
---	---------------------------	--

Implant connector

	Art. - Nr. CPI19	Length 19 mm
---	----------------------------	------------------------

Platform positioners

	Art. - Nr. CPE		Art. - Nr. CPEC
---	--------------------------	---	---------------------------

Surgical torque wrench extenders

	for implants 4,5 mm in length	Art. - Nr.	Length
	Narrow platform	INEAE24 INEAE29	24 mm 29 mm
	for all other implants	Art. - Nr.	Length
	Narrow platform	EAIE24 EAIE29	24 mm 29 mm

Ratchet extenders

	Art. - Nr. ELLCAC	Length 11,5 mm
	ELLCAL	20 mm

Prosthetic torque ratchet

	Art. - Nr. LLMTP	Description Multi-torque ratchet with adapter for torque ratchet tips and right-anglescrew driver tips (MDPT1 y LLEC1) 10 - 35 Ncm.
---	----------------------------	---

MDPT1 and LLEC1 adapters are provided also as single items.

Screwdrivers

	Article Hexagon screwdriver (long hexagon)	Art. - Nr. DHG17 DHG24 DHG36	Length 17 mm 24 mm 36 mm
	Square screwdriver	DC17 DC24 DC36	17 mm 24 mm 36 mm
	Screwdrivers for trans-epithelial abutments	DCE17 DCE24	17 mm 24 mm
	Locator tools kit	HPL	

UNIT® Transepithelial Positioner

	UNIT® Restorative platform	Art. - Nr.	Length
	Ø 3,5 mm	PTUPE16 PTUPE22	16 mm 22 mm
	Ø 4,1 mm	PTUPU16 PTUPU22	16 mm 22 mm

Surgical-Prosthetic instruments



Torque ratchet tips

	Article Large hexagonal Parallel walls	Art. - Nr. PTHS16 PTHS22	Length 16 mm 22 mm
	Square Parallel walls	PTCS16 PTCS22	16 mm 22 mm
	For UNIT®, MULTI-IM® trans-epithelials (MULTI-IM®: all platforms) (UNIT®: Narrow expanded pl.)	PTTU16 PTTU22	16 mm 22 mm
	For UNIT® trans-epithelials (Narrow platform))	PTTE16 PTTE22	16 mm 22 mm
	Rounded (For angles between 0 and 15°)	PTHA16 PTHA22 PTHA28 PTHA34	16 mm 22 mm 28 mm 34 mm
	Rounded (For angles between 0 and 30°)	PTHB16 PTHB22 PTHB28 PTHB34	16 mm 22 mm 28 mm 34 mm
	Flat torque wrench tip	PTPP22	22 mm
	For Locator abutments	PTTL15 PTTL21	15 mm 21 mm

Right-angle screwdriver tips

	Article Hexagonal (Large hexagonal)	Art. - Nr. PHG17 PHG24 PHG30	Length 17 mm 24mm 30 mm
	Large hexagonal Parallel walls	PHS17 PHS24 PHS30	17 mm 24mm 30 mm
	Square	PDC17 PDC24 PDC30	17 mm 24 mm 30 mm
	For trans-epithelials MULTI-IM®/ UNIT®	PDTU17 PDTU24 PDTU30	17 mm 24 mm 30 mm
	For Occlusal register indicator	PDIRO24 PDIRO30	24 mm 30 mm
	For Locator abutments	PTL23 PTL29	23 mm 29 mm



INDEX

Prosthesis over
Screw-Retained
SINGLE restorations **UNIT®**

Straight UNIT®
pages 8-9

Expanded UNIT®
pages 10-11

Angled UNIT®
pages 16-17

Prosthesis
over the implant

pages 18-19

Prosthesis over
Screw-Retained
MULTIPLE restorations **MULTI-IM®**

Straight MULTI-IM®
pages 12-13

Expanded MULTI-IM®
pages 14-15

Angled MULTI-IM®
pages 16-17


Overdenture
restorations

pages 20-21



Narrow/CORE Platform

STRAIGHT



PROSTHETIC Ø

3,5 mm

IMPLANT PLATFORM Ø

3,5 mm

! IMPORTANT:
4.5 mm (length) implant
NOT COMPATIBLE

UNIT® Straight

Art. - Nr.	Height
INTMIUPE3515	1,5 mm
INTMIUPE3520	2,0 mm
INTMIUPE3525	2,5 mm
INTMIUPE3530	3,0 mm
INTMIUPE3535	3,5 mm
INTMIUPE3540	4,0 mm
INTMIUPE3550	5,0 mm

35 Ncm.

Torque ratchet tip: PTTEXX

Art. - Nr.	Ø	Height
TPMIUPE	3,5 mm	3,0 mm

10 Ncm.

CONVENTIONAL
DIGITAL

Impression coping

Open tray	Height
Art. - Nr. CIMIUPE	10 mm

Scan Body

Art. - Nr.
SBIMIUPE

CONVENTIONAL
DIGITAL

Art. - Nr.
RLMIUPE

Digital analogue

Art. - Nr.
RDIMIUPE

PROVISIONAL

Cylinder

Art. - Nr. (titanium)
CPMIUPE

DEFINITIVE

Square Interface
(Ti-Golden®)

Art. - Nr.	Height	Prosth. ø
ISMIUPE	6,5 mm	3,5 mm

Expanded Square Interface
(Ti-Golden®)

Art. - Nr.	Height	Prosth. ø
ISMIUPEX	6,5 mm	4,5 mm

* These components are provided with the TTMIR retaining screw.

Attention: castables only for conventional laboratory techniques

Art. - Nr.
CISMIUPE

Art. - Nr.	Height
TEMIR12	12 mm
TEMIR	15 mm
TEMIR20 (Reduced diameter)	20 mm

Ti Black Art. - Nr.
TTMIR

For prefabricated interfaces/cylinders.
For structures machined in Cad Cam with angulation 0-15°
20 Ncm.


Ti Black Art. - Nr.
TTMI30 (hexagonal)

For structures machined in Cad Cam with angulation 15° - 30°
Hexagon only compatible with PTHBXX
Only compatible with ISMIUPEX expanded interface
20 Ncm.

► TRANS-EPITHELIAL (Ti-Golden®) + PROTECTION CAP + IMPRESSION TAKING + LAB. ANALOG + PROVISIONAL PROTHESIS// DEFINITIVE PROTHESIS + CASTABLE + WAXING SCREW + DEFINITIVE SCREW ||

Narrow/CORE Platform

EXPANDED



IMPORTANT:
4.5 mm (length) implant
NOT COMPATIBLE

UNIT® Expanded

Art. - Nr.	Height
INTMIUPE20	2,0 mm
INTMIUPE25	2,5 mm
INTMIUPE30	3,0 mm
INTMIUPE35	3,5 mm
INTMIUPE40	4,0 mm
INTMIUPE50	5,0 mm

35 Ncm.

Torque ratchet tip: PTTUXX

Art. - Nr.	Ø	Height
TPMIUPU 10 Ncm.	4,0	3,5 mm

CONVENTIONAL		
Impression coping		
Open tray Art. - Nr. CIMIUPU		Height 10 mm
Closed tray Art. - Nr. CIDMIUPU		Height 7,5 mm
Art. - Nr. SID (5 pieces)		

DIGITAL	
Scan Body	
Art. - Nr. SBIMIUPU	

CONVENTIONAL	
Art. - Nr. RLMIUPU	

DIGITAL	
Digital analogue	
Art. - Nr. RDIMIUPU	

PROVISIONAL

Cylinder	
Art. - Nr. (titanium) CPMIUPU	Art. - Nr. (Peek) CPMIUPUP

DEFINITIVE

Square Interface (Ti-Golden®)			
Art. - Nr. ISMIUPU	Height 6,5 mm	Prosth. ø 4,1 mm	
* These components are provided with the TTMIR retaining screw.			
Expanded Square Interface (Ti-Golden®)			
Art. - Nr. ISMIUPUX	Height 6,5 mm	Prosth. ø 5,1 mm	

Castable Cylinder UNIT®	
Art. - Nr. PUCMIUPU	

Attention: castables only for conventional laboratory techniques

Art. - Nr. CISMIUPU

Art. - Nr.	Height
TEMIR12	12 mm
TEMIR	15 mm
TEMIR20 (Reduced diameter)	20 mm


Ti Black
Art. - Nr.
TTMIR
For prefabricated interfaces/cylinders.
For structures machined in Cad Cam with angulation 0-15°
20 Ncm.

Ti Black
Art. - Nr.
TTMI30 (hexagonal)
For structures machined in Cad Cam with angulation 15° - 30°
Hexagon only compatible with PTHBXX
Only compatible with ISMIUPUX expanded interface
20 Ncm.

Attention:
Incompatible with prefabricated interfaces/cylinders.

Narrow/CORE Platform

STRAIGHT



IMPORTANT:
4.5 mm (length) implant
NOT COMPATIBLE

Straight MULTI-IM®

Art. - Nr.	Height
INTMIPE3505	0,5 mm
INTMIPE3510	1,0 mm
INTMIPE3515	1,5 mm
INTMIPE3520	2,0 mm
INTMIPE3525	2,5 mm
INTMIPE3530	3,0 mm
INTMIPE3535	3,5 mm
INTMIPE3540	4,0 mm
INTMIPE3550	5,0 mm

35 Ncm.

Torque ratchet tip: PTTUXX

Art. - Nr.	Ø	Height
TPMIPE 10 Ncm.	3,5	3,5 mm

CONVENTIONAL

Impression coping

Open tray	Art. - Nr.	Ø	Height
	CIMIPE	3,5	9,0 mm

Occlusal register indicator

Art. - Nr.	Ø	Height
IROMIPE	3,5	9,0 mm

DIGITAL

Scan Body

Art. - Nr.
SBIMIPE

CONVENTIONAL



DIGITAL

Análogo digital

Art. - Nr.
RDIMIPE

PROVISIONAL

Cylinder

Art. - Nr. (titanium)	Art. - Nr. (Peek)
CPMIPE	CPMIPEP

DEFINITIVE

Square Interface (Ti-Golden®)

Art. - Nr.	Height	Prosth. ø
ISMIPE	5,5 mm	4,0 mm

Expanded Square Interface (Ti-Golden®)

Art. - Nr.	Height	Prosth. ø
ISMIPEX	5,5 mm	4,5 mm

* These components are provided with the TTMIR retaining screw.

Attention: castables only for conventional laboratory techniques

Art. - Nr.
CISMIPE


Art. - Nr.	Height
TEMIR12	12 mm
TEMIR	15 mm
TEMIR20 (Reduced diameter)	20 mm

Ti Black Art. - Nr. TTMIR


For prefabricated interfaces/cylinders.
For structures machined in Cad Cam with angulation 0-15°
20 Ncm.

Narrow/CORE Platform

EXPANDED



EXPANDED



Expanded MULTI-IM®

for implants 4,5 mm in length

Art. - Nr.	Height
INTMIPE4520	2,0 mm
INTMIPE4525	2,5 mm
INTMIPE4530	3,0 mm
INTMIPE4535	3,5 mm
INTMIPE4540	4,0 mm
INTMIPE4550	5,0 mm

Torque ratchet tip: PTTUXX

for all other implants

Art. - Nr.	Height
INTMIPE05	0,5 mm
INTMIPE10	1,0 mm
INTMIPE15	1,5 mm
INTMIPE20	2,0 mm
INTMIPE25	2,5 mm
INTMIPE30	3,0 mm
INTMIPE35	3,5 mm
INTMIPE40	4,0 mm
INTMIPE50	5,0 mm

Torque ratchet tip: PTTUXX

Expanded MULTI-IM®

for implants 4,5 mm in length

Art. - Nr.	Height
INTMIPEEX4520	2,0 mm
INTMIPEEX4525	2,5 mm
INTMIPEEX4530	3,0 mm
INTMIPEEX4535	3,5 mm
INTMIPEEX4540	4,0 mm
INTMIPEEX4550	5,0 mm

Torque ratchet tip: PTTUXX

for all other implants

Art. - Nr.	Height
INTMIPEEX15	1,5 mm
INTMIPEEX20	2,0 mm
INTMIPEEX25	2,5 mm
INTMIPEEX30	3,0 mm
INTMIPEEX35	3,5 mm
INTMIPEEX40	4,0 mm
INTMIPEEX50	5,0 mm

Torque ratchet tip: PTTUXX

Art. - Nr.	Ø	Height
TPMIEU	4,0	4,0 mm
TPMIEU1	4,0	3,0 mm

Art. - Nr.	Ø	Height
TPMIA	5,5	4,0 mm

Impression coping

Open tray	Art. - Nr.	Ø	Height
CIMIPEU	4,0	9,0 mm	

Occlusal register indicator

Art. - Nr.	Ø	Height
IROMIEU1	4,0	6,0 mm
IROMIEU	4,0	9,0 mm

Scan Body

Art. - Nr.
SBIMIPEU

Impression coping

Open tray			
Art. - Nr.	Ø	Height	
CIMIPA	5,5	9,0 mm	

Occlusal register indicator

Art. - Nr.	Ø	Height
IROMIA	5,5	9,0 mm

Scan Body

Art. - Nr.
SBIMIPA

Art. - Nr.
RLMIEU

Digital analogue

Art. - Nr.
RDIMIEU

Art. - Nr.
RLMIA

Digital analogue

Art. - Nr.
RDIMIA

Cylinder

Art. - Nr. (titanium)	Art. - Nr. (Peek)
CPMIPEU	CPMIPEUP

Articulated bars

Ball height	BAP1	BAP2A	BAP2B
3,5 mm			
4,5 mm	BAP1A	BAP2C	BAP2D

BAP3

Cylinder

Art. - Nr. (titanium)
CPMIPA

Articulated bars

Ball height	BAPA1	BAPA2A	BAPA2B
3,5 mm			
4,5 mm	BAPA1A	BAPA2C	BAPA2D

BAP3

Square Interface (Ti-Golden®)

Art. - Nr.	Height	Prosth. ø
ISMIPU	6,0 mm	4,4 mm

Expanded Square Interface (Ti-Golden®)

Art. - Nr.	Height	Prosth. ø
ISMIPUX	6,0 mm	5,1 mm

* These components are provided with the TTMIR retaining screw.

Cylinder

Art. - Nr. (gold)	Art. - Nr. (castable)
COMIPEU	CCMIPEU

Square Interface (Ti-Golden®)

Art. - Nr.	Height	Prosth. ø
ISMIPA	6,0 mm	5,5 mm

* This component is provided with the TTMIR retaining screw.

Cylinder

Art. - Nr. (gold)	Art. - Nr. (castable)
COMIPA	CCMIPA


Attention: castables only for conventional laboratory techniques

Ti Black Art. - Nr. TTMIR
For prefabricated interfaces/cylinders. For structures machined in Cad Cam with angulation 0-15°
20 Ncm.

Ti Black Art. - Nr. TTMIR30 (hexagonal)
For structures machined in Cad Cam with angulation 15° - 30°
Hexagon only compatible with PTHBXX
20 Ncm.

Attention: Incompatible with prefabricated interfaces/cylinders. Incompatible with ISMIPU interface

Narrow/CORE
Platform



IMPORTANT:
4,5 mm (length) implant
NOT COMPATIBLE

UNIT®/MULTI-IM®
17° Angled

Art. - Nr.	Height
INTMIPEB15	1,5 mm
INTMIPEB20	2,0 mm
INTMIPEB30	3,0 mm

Torque ratchet tip: PTHSXX

UNIT®/MULTI-IM®
30° Angled

Art. - Nr.	Height
INTMIPEC15	1,5 mm
INTMIPEC20	2,0 mm
INTMIPEC30	3,0 mm

Torque ratchet tip: PTHSXX

Art. - Nr.	Ø	Height
TPMIEUA	5,0	5,0 mm



Single

Impression coping



Open tray	Ø	Height
Art. - Nr. CIMIUPUA	5,0	10 mm

CONVENTIONAL

Scan Body



Art. - Nr.
SBIMIUPUA

DIGITAL

Multiple

Impression coping



Open tray	Ø	Height
Art. - Nr. CIMIPEUA	5,0	10 mm

CONVENTIONAL

Occlusal register indicator



Art. - Nr.	Ø	Height
IROMIEUA	4,0	9,0 mm

CONVENTIONAL

Scan Body



Art. - Nr.
SBIMIUPUA

DIGITAL

CONVENTIONAL



Art. - Nr.
RLMIEUA

CONVENTIONAL

Digital analogue



Art. - Nr.
RDIMIEUA

DIGITAL

PROVISIONAL

Single

Cylinder



Art. - Nr. (titanium)
CPMIUPUA



Multiple

Cylinder



Art. - Nr. (titanium)
CPMIPEUA



DEFINITIVE

Single

Square Interface (Ti-Golden®)



Art. - Nr.	Height	Prosth. ø
ISMIUPUA	6,5 mm	5,5 mm

* This component is provided with the TT MIR retaining screw.



Multiple

Square Interface (Ti-Golden®)



Art. - Nr.	Height	Prosth. ø
ISMIPUA	6,0 mm	5,1 mm

* This component is provided with the TT MIR retaining screw.



Cylinder



Art. - Nr. (castable)
CCMIEUA



Art. - Nr.	Height
TEMIR12	12 mm
TEMIR	15 mm
TEMIR20 (Reduced diameter)	20 mm



Ti Black
Art. - Nr.
TTMIR

For prefabricated interfaces/cylinders.
For structures machined in Cad Cam with
angulation 0-15°
(regardless of the angulation of the
abutment)
20 Ncm.

Ti Black
Art. - Nr.
TTMI30 (hexagonal)

For structures machined in Cad Cam with
angulation 15° - 30°
(regardless of the angulation of the
abutment)
Hexagon only compatible with PTHBXX
20 Ncm.

Attention:
Incompatible with prefabricated
interfaces/cylinders.

Prosthesis over the implant



► HEALING ABUTMENT + IMPRESSION TAKING + LAB. ANALOG + PROVISIONAL PROsthESIS// //DEFINITIVE PROsthESIS + WAXING SCREW / LAB. SCREW + DEFINITIVE SCREW ||

Straight

Art. - Nr.	Ø	Height
INPCER31	3,5	1,0 mm
INPCER32	3,5	2,0 mm
INPCER33	3,5	3,0 mm
INPCER34	3,5	4,0 mm
INPCER35	3,5	5,0 mm
INPCER36	3,5	6,0 mm
INPCER38	3,5	8,0 mm

INPCER42	4,5	2,0 mm
INPCER43	4,5	3,0 mm
INPCER44	4,5	4,0 mm
INPCER45	4,5	5,0 mm
INPCER46	4,5	6,0 mm
INPCER48	4,5	8,0 mm

20 Ncm.

Reduced

Art. - Nr.	Ø	Height
INPCERRE33	3,5-2	3,0 mm
INPCERRE34	3,5-2	4,0 mm

20 Ncm.

! IMPORTANT:
4,5 mm (length) implant
NOT COMPATIBLE

Impression coping

OPEN TRAY

Engaging

Art. - Nr.	Ø	Height
INCIE31	3,5	9,0 mm
INCIE3	3,5	12,0 mm
INCIE41	4,5	9,0 mm
INCIE4	4,5	12,0 mm

Non engaging

Art. - Nr.	Ø	Height
INCIRIE51	5,0	9,0 mm
INCIRIE5	5,0	12,0 mm

CLOSED TRAY

Art. - Nr.	Ø	Height
INCIDE2	3,5	8,5 mm
INCIDE3	3,5	9,5 mm
INCIDE4	3,5	10,5 mm

SID (5 pieces)

Scan Body

Art. - Nr.
SBIIE1

Art. - Nr.
INRLIE

Prov. Cylinder Titanium

Art. - Nr.
INCP1E1 (Engaging)
INCP1E0 (Non Engaging)

Prov. Cylinder Peek

Art. - Nr.
INCP1EP1 (Engaging)
INCP1EP0 (Non Engaging)

20 Ncm.

Digital analogue

Art. - Nr.
INRDIIE

Square* Abutment (Ti-Golden*)

Engaging

Art. - Nr.	Prosth. Ø	Transgingival height
INPSPE0	4,0	0,0 mm
INPSPE1	4,0	1,0 mm
INPSPE2	4,0	2,0 mm
INPSPE3	4,0	3,0 mm

Non engaging

INPSPER0	3,8	0,0 mm
INPSPER1	3,8	1,0 mm
INPSPER2	3,8	2,0 mm
INPSPER3	3,8	3,0 mm

* These components are provided with the INTTUHCR retaining screw.

Art. - Nr. (castable)

CPSPE

Attention: castables only for conventional laboratory techniques.

Expanded Square* Abutment (Ti-Golden*)

Engaging

Art. - Nr.	Prosth. Ø	Transgingival height
INPSPEX0	4,4	0,0 mm
INPSPEX1	4,4	1,0 mm
INPSPEX2	4,4	2,0 mm
INPSPEX3	4,4	3,0 mm

* These components are provided with the INTTUHCR retaining screw.

Art. - Nr. (castable)

CPSPEX

Attention: castables only for conventional laboratory techniques.

Square waxing screw

Art. - Nr.	Height
INTEPESPE	21,0 mm

Specific screw (included)

Art. - Nr.
INTTUHCR

35 Ncm.

Titanium - Bioabutments (Ti-Golden*)

Art. - Nr.	Ø	Height
INPPTEB33	3,5	3,0 mm
INPPTEB34	3,5	4,0 mm

INPPTEB43	4,2	3,0 mm
INPPTEB44	4,2	4,0 mm

15° Angled Titanium-Bioabutments (Ti-Golden*)

Art. - Nr.	Ø	Height
INPPTEAB43	3,75/4,2	3,0 mm
INPPTEAB44	3,75/4,2	4,0 mm

UCLA Abutment

Art. - Nr. (castable)
INPUCE1 (Engaging)
INPUCE0 (Non engaging)

Waxing screw

Art. - Nr.	Height
INTEIU16 (short)	16.1 mm
INTEIU (long)	20.6 mm

Lab. screw

Art. - Nr.
INTTLH (5 pieces) (hexagonal)

Universal screws

Ti Black Art. - Nr. INTTUH (hexagonal)
--

35 Ncm.

Ti Black Art. - Nr. INTTUHA (hexagonal) For structures machined in Cad Cam with angulation 0-30° Hexagon only compatible with PTHBXX

Attention:
Incompatible with prefabricated
interfaces/cylinders.

Overdenture restorations



► HEALING ABUTMENT



IMPRESSION TAKING



LAB. ANALOG



LOCATOR ABUTMENT



IMPRESSION COPING



FEMALE ANALOG



PROCESSING KIT



Straight



Art. - Nr.	Ø	Height
INPCER31	3,5	1,0 mm
INPCER32	3,5	2,0 mm
INPCER33	3,5	3,0 mm
INPCER34	3,5	4,0 mm
INPCER35	3,5	5,0 mm
INPCER36	3,5	6,0 mm
INPCER38	3,5	8,0 mm

INPCER42	4,5	2,0 mm
INPCER43	4,5	3,0 mm
INPCER44	4,5	4,0 mm
INPCER45	4,5	5,0 mm
INPCER46	4,5	6,0 mm
INPCER48	4,5	8,0 mm

Reduced



Art. - Nr.	Ø	Height
INPCERRE33	3,5-2	3,0 mm
INPCERRE34	3,5-2	4,0 mm

! IMPORTANT:
4,5 mm (length) implant
NOT COMPATIBLE

Impression coping

OPEN TRAY

Engaging



Art. - Nr.	Ø	Height
INCIE31	3,5	9,0 mm
INCIE3	3,5	12,0 mm
INCIE41	4,5	9,0 mm
INCIE4	4,5	12,0 mm

Non engaging



Art. - Nr.	Ø	Height
INCIRIES1	5,0	9,0 mm
INCIRIES	5,0	12,0 mm

CLOSED TRAY



Art. - Nr.	Ø	Height
INCIDE2	3,5	8,5 mm
INCIDE3	3,5	9,5 mm
INCIDE4	3,5	10,5 mm

SID (5 pieces)



Scan Body



Art. - Nr.
SBIIE1



Art. - Nr.
INRLIE



Art. - Nr.	Height
PLIE10	1,0 mm
PLIE20	2,0 mm
PLIE30	3,0 mm
PLIE40	4,0 mm

30 Ncm.



Art. - Nr.
CIL (4 pieces)



Art. - Nr.
RLL4 (4 pieces)

Processing kit



Art. - Nr.
JML2 (2 pieces)
JML10 (10 pieces)

Males replacement

Art. - Nr.	Retention	Angulation
MLRA (4 pieces)	extra-light	0-10°
MLRR (4 pieces)	light	0-10°
MLST (4 pieces)	strong	0-10°
MLAR (4 pieces)	extra-light	10-20°
MLAN (4 pieces)	light	10-20°
MLAV (4 pieces)	strong	10-20°
MLAG (4 pieces)	no retention	10-20°



CleanImplant
Trusted Quality Mark
2017 - 2023



BTI Comercial

San Antonio, 15 · 5º
01005 Vitoria-Gasteiz
(Álava) · ESPAÑA
Tel: +34 945 140 024
Fax: +34 945 135 203
pedidos@bticomercial.com

Subsidiaries

GERMANY

Mannheimer Str. 17
75179 Pforzheim · Deutschland
Tel: +49 7231 428060
Fax: +49 7231 4280615
info@bti-implant.de

FRANCE

6 Avenue Neil Armstrong
Immeuble Le Lindbergh
33692 Merignac CEDEX · France
Tel: +33 (5) 54530209
serviceclient@bti-implant.fr

ITALY

C/o Regus Milano Linate
Viale E. Forlanini 23
20134 Milano (MI) · Italia
Tel: +39 0270605067
info@bti-implant.it

MEXICO

Ejercito Nacional Mexicano 351, 3A
Col. Granada Delegación Miguel Hidalgo
Messico DF · CP 11520 · Messico
Tel: (52) 55 52502964
Fax: (52) 55 55319327
bti.mexico@bti-implant.com

www.bti-biotechnologyinstitute.com

NOTE: consult your distributor for the availability of the product in the different markets.

B.T.I.

Biotechnology Institute S.L.

Parque Tecnológico de Álava
Leonardo da Vinci, 14
01510 Miñano (Álava) España
bti.implantes@bti-implant.es

PORTUGAL

Praça Mouzinho de Albuquerque, 113, 5º
4100-359 Porto · Portugallo
Tel: (351) 22 120 1373
Fax: (351) 22 120 1311
bti.portugal@bticomercial.com

UK

3 Churchill Court, Manor Royal,
Crawley, West Sussex, RH10 9LU
Tel: +44 02039 661873
customerservice@bti-implant.co.uk

USA

1951 NW 7th Ave
Suite 600
Miami, FL 33136
Cell: 610 209 6040
Office: 866 646 4067
bti@bti-implant.us